

KOZMO CHEMICAL INDUSTRY AND FOREIGN TRADE LTD.  
MATERIAL SAFETY DATA SHEET  
This form has been prepared according to 91/155/EEC  
and 11/03/200-24692 (fundamantation and method of MSDS preparation)

PRODUCT NAME:TANGO DISPENSER  
PREPARATION DATE :21.03.2013  
MSDS NO : K-011  
REVISION : 2

Page 1/5

**SECTION 1- CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

PRODUCT NAME : TANGO DISPENSER  
PRODUCT USE : Air Care  
COMPANY NAME - Kozmo Chemical Industry and Foreign Trade Ltd  
Atatürk Sanayi Bölgesi Dr. Mithat Martı Cad.  
352. Sk. No:2 Hadımköy/istanbul/TURKEY  
EMERGENCY NUMBER :+90 212 771 22 11

**SECTION 2- HAZARD IDENTIFICATION**

PHYSIO-CHEMICAL HAZARDS : F+ Extremely Flammable  
HEALTH HAZARDS :None Identified  
ENVIROMENTAL HAZARDS :None Identified

**SECTION 3- COMPOSITION INFORMATION ON IGREDIENTS**

Ingredients	CAS #		%by Weight	SYMBOLS	RISK PHRASES	SAFETY PHRASES
Ethyl Alcohol	64-17-5		30-70	F	R11	S2-7-16
Parfum			10-20	Xi, N	R43-51/53	S2-24/25
Propellant	68512-91-4		20-40	F+	R12	S2-9-16

KOZMO CHEMICAL INDUSTRY AND FOREIGN TRADE LTD.  
MATERIAL SAFETY DATA SHEET  
This form has been prepared according to 91/155/EEC  
and 11/03/200-24692 (fundamantation and method of MSDS preparation)

PRODUCT NAME:TANGO DISPENSER  
PREPARATION DATE :21.03.2013  
MSDS NO : K-011  
REVISION : 2

**SECTION 4- FIRST AID MEASURE**

INGESTION	:Rinse mouth with water. Do not induce vomiting.Obtain medical advise.
INHALATION	:Remove the person to fresh air and keep at rest in a comfortable position. Obtain medical advise.
SKIN CONTACT	It will be irritating to underarm after epilation.
EYE CONTACT	:Rinse the eyes with plenty of water. If symptoms develop or persist consult a doctor

**SECTION 5- FIRE FIGHTING MEASURES**

FLASH POINT	:Closed cup: <-7°C (19,4°F)(for propellant)
EXTINGUISHING AGENT	:CO2, foam, dry chemical.For safety do not use a direct water jet on burning material.
COMBUSTION PRODUCT	:CO may be possible
PROTECTIVE EQUIPMENT	:Wear protective clothing/equipment when fighting fires
SPECIAL REMARKS	:Aerosol product:containers may rocket or explode in heat of fire

**SECTION 6- ACCIDENTAL RELEASE MEASURES**

CLEAN UP METHODS	:Remove all sources of ignition.provide proper ventilation. If liquid absorb the material on a porous, inert material such as earth, sand or vermiculite If solid/powder- carefully sweep up the material without causing dust. Dispose of in accordance with local regulations.
PERSONAL PRECAUTIONS	:Use individual protective equipment
ENVIRONMENTAL PROTECTION	No special protection required.

**SECTION 7- HANDLING AND STORAGE**

HANDLING	:Ensure good ventilation /exhausting at the work place
STORAGE	:Store in cool location observe official regulations on storing packagings with pressured containers.
FIRE PROTECTION	:CONTENTS UNDER PRESSURE.Do not smoke. Do not puncture or incinerate.Keep away from sunlight and temperatures above 50°C. Do not open by fire or throw into fire even after use.Do not spray on flames or red-hot objects.

KOZMO CHEMICAL INDUSTRY AND FOREIGN TRADE LTD.  
MATERIAL SAFETY DATA SHEET  
This form has been prepared according to 91/155/EEC  
and 11/03/200-24692 (fundamation and method of MSDS preparation)

PRODUCT NAME:TANGO DISPENSER  
PREPARATION DATE :21.03.2013  
MSDS NO : K-011  
REVISION : 2

Page 3/5

**SECTION 8- EXPOSURE CONTROLS AND PERSONEL PROTECTION**

EXPOSURE CONTROLS :For further data see item 7

PERSONAL PROTECTION RESPIRATORY:Not required, but ensure adequate ventilation when using  
VENTILATION: No special requirements  
HANDS: no special requirements under normal use conditions  
EYES: no special requirements under normal use conditions

**SECTION 9- PHYSICAL AND CHEMICAL PROPERTIES**

PHYSICAL STATE :Liquid aerosol  
APPEREANCE :Transparent  
ODOR :According to fragrance smell  
COLOUR :According to product specifaion  
SOLUBILITY IN WATER :complete  
MELTING POINT :Not applicable  
BOILING POINT :78,33 for ethyl alcohol

**SECTION 10- STABILITY AND REACTIVITY**

STABILITY Stable under normal conditions

REACTIVITY Avoid contact with strong acids and oxidising agents

DECOMPOSITION In case of fire CO and CO2 may be possible

**SECTION 11- TOXICOLOGICAL INFORMATION**

See section 3 and 15

**SECTION 12- ECOLOGICAL INFORMATION**

Not avaiable

**SECTION 13-DISPOSAL CONSIDERATIONS**

No special methods are necessary, but disposal should be according to the requirements of local regulations.

KOZMO CHEMICAL INDUSTRY AND FOREIGN TRADE LTD.  
MATERIAL SAFETY DATA SHEET  
This form has been prepared according to 91/155/EEC  
and 11/03/200-24692 (fundamaton and method of MSDS preparation)

PRODUCT NAME:TANGO DISPENSER  
PREPARATION DATE :21.03.2013  
MSDS NO : K-011  
REVISION : 2

**SECTION 14- TRANSPORT INFORMATION**

LAND TRANSPORT ADR/RID

ADR/RID Class :2.1  
UN number :1950  
Correct Technical Name :Aerosol

REMARK: :UN 1950 is required according to ADR-regulations  
:AEROSOLS is required according to IMDG-regulations

MARITIME TRANSPORT IMDG/GGV SEA

IMDG/GGV Sea Class :2.1  
UN Number :1950  
Marine Pollutant :No  
Correct Tecnical Name :Aerosol

AIR TRANSPORT ICAO-TI AND IATA-DGR

ICAO/IATA Class :2.1  
UN number :1950  
Correct Tecnical Name :Aerosol

**SECTION 15 REGULATORY INFORMATION**

**LABELLING**



SPECIAL DESIGNATION OF CERTAIN  
PREPERATIONS

:Pressured container. Protect from sunlight and not expose  
to temperatures exceeding 50 C. Do not pierce or burn even  
after use.  
Do not spray on a naked flame or any incandescent material

RISK PHRASES

R12 : Extremely flammable

SAFETY PHRASES

S2 : Keep out or reach of children  
S9 : Keep the can in well ventilated area  
S16 : Keep away from sources of ignition- No smoking

KOZMO CHEMICAL INDUSTRY AND FOREIGN TRADE LTD.  
MATERIAL SAFETY DATA SHEET  
This form has been prepared according to 91/155/EEC  
and 11/03/200-24692 (fundamation and method of MSDS preparation)

PRODUCT NAME:TANGO DISPENSER  
PREPARATION DATE :21.03.2013  
MSDS NO : K-011  
REVISION : 2

Page 5/5

**SECTION 16- OTHER INFORMATION**

R PHRASES USED IN THIS DOCUMENT

R11 :Highly flammable  
R12 :Extremely flammable  
R43 :May cause sensization by skin contact  
R51/53 :toxic to aquatic organisms and cause long term adverse effects in the aquatic environment

S PHRASES USED IN THIS DOCUMENT

S2 :Keep out or the reach of children  
S7 :Keep Container tightly closed  
S9 :keep container in well ventilated areas  
S16 :Keep away from sources of ignition  
S24/25 :Avoid contact with skin and eyes

**Notice to Reader**

*The information provided in this MSDS is correct to the best of our knowledge, information and belief at the date of its publication and is in our opinion consistent with the state of general scientific and technical knowledge at that date, but we can not accept liability for loss,injury or damage which may result froam its use. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond sellers's control. Use is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.*