

KOZMO CHEMICAL INDUSTRY AND FOREIGN TRADE LTD.  
MATERIAL SAFETY DATA SHEET  
This form has been prepared according to 91/155/EEC  
and 11/03/200-24692 (fundamantation and method of MSDS preparation)

PRODUCT NAME:TANGO HAIR MOUSSE  
PREPARATION DATE :20.03.2013  
MSDS NO : K-013  
REVISION : 2

Page 1/5

**SECTION 1- CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

PRODUCT NAME : TANGO HAIR MOUSSE  
PRODUCT USE : Hair Care  
COMPANY NAME - Kozmo Chemical Industry and Foreign Trade Ltd  
Atatürk Sanayi Bölgesi Dr. Mithat Martı Cad.  
352. Sk. No:2 Hadımköy/İstanbul/TURKEY  
EMERGENCY NUMBER :+90 212 771 22 11

**SECTION 2- HAZARD IDENTIFICATION**

PHYSIO-CHEMICAL HAZARDS : F+ Extremely Flammable  
HEALTH HAZARDS :None Identified  
ENVIROMENTAL HAZARDS :None Identified

**SECTION 3- COMPOSITION INFORMATION ON IGREDIENTS**

Ingredients	CAS #	REACH#	%by Weight	SYMBOLS	RISK PHRASES	SAFETY PHRASES
Polyvinyl Pyrrolidone	9003-39-8		6,00	F,Xi	R11-38-41	S16-39-26
Emulgator	61788-85-0		0,70	F	R36/38	S2-7-16
Parfum			0,20	Xi, N	R43-51/53	S2-24/25
Provitamin B5	81-13-0	N/A	0,50	None	None	None
Aqua			81,60	None	None	None
Propellant	68512-91-4	no need	11,00	F+	R12	S2-9-16



KOZMO CHEMICAL INDUSTRY AND FOREIGN TRADE LTD.  
MATERIAL SAFETY DATA SHEET  
This form has been prepared according to 91/155/EEC  
and 11/03/200-24692 (fundamantation and method of MSDS preparation)

PRODUCT NAME:TANGO HAIR MOUSSE  
PREPARATION DATE :20.03.2013  
MSDS NO : K-013  
REVISION : 2

Page 2/5

#### SECTION 4- FIRST AID MEASURE

INGESTION :Rinse mouth with water. Do not induce vomiting.Obtain medical advise.

INHALATION :Remove the person to fresh air and keep at rest in a comfortable position. Obtain medical advise.

SKIN CONTACT Rinse with plenty of water

EYE CONTACT :Rinse the eyes with penty fo water. If symptoms develop or persist consult a doctor

#### SECTION 5- FIRE FIGHTING MEASURES

FLASH POINT :Closed cup: <-7°C (19,4°F)(for propellant)

EXTINGUISHING AGENT :CO2, foam, dry chemical.For safety do not use a direct water jet on burning material.

COMBUSTION PRODUCT:CO may br possible

PROTECTIVE EQUIPMENT: Wear protective clothing/equipment when fighting fires

SPECIAL REMARKS :Aerosol product:containers may rocket or explode in heat of fire

#### SECTION 6- ACCIDENTAL RELEASE MEASURES

CLEAN UP METHODS :Remove all sources of ignition.provide proper ventilation. If luquid absorb the material on a porous, inert material such asa earth, sand or vermiculite  
If solid/powder- carefully sweep up the material witous causing dust.  
Dispose of in accordance with local regulations.

PERSONAL PRECAUTIONS :Use individual protective equipment

ENVIRONMENTAL PROTECTION No special protection required.

#### SECTION 7- HANDLING AND STORAGE

HANDLING :Ensure good ventilation /exhausting at the work place

STORAGE :Store in cool location observe official regulations on storing packagings with pressured containers.

FIRE PROTECTION :CONTENTS UNDER PRESSURE.Do not smoke. Do not puncture or incinerate.Keep away from sunlight and temperatures above 50°C. Do not open by fire or throw into fire even after use.Do not spray on flames or red-hot objects.



KOZMO CHEMICAL INDUSTRY AND FOREIGN TRADE LTD.  
MATERIAL SAFETY DATA SHEET  
This form has been prepared according to 91/155/EEC  
and 11/03/200-24692 (fundamation and method of MSDS preparation)

PRODUCT NAME:TANGO HAIR MOUSSE  
PREPARATION DATE :20.03.2013  
MSDS NO : K-013  
REVISION : 2

Page 4/5

**SECTION 14- TRANSPORT INFORMATION**

LAND TRANSPORT ADR/RID

ADR/RID Class :2  
UN number :1950  
Correct Technical Name :Aerosol

REMARK: :UN 1950 is required according to ADR-regulations  
:AEROSOLS is required according to IMDG-regulations

MARITIME TRANSPORT IMDG/GGV SEA

IMDG/GGV Sea Class :2  
UN Number :1950  
Marine Pollutant :No  
Correct Technical Name :Aerosol

AIR TRANSPORT ICAO-TI AND IATA-DGR

ICAO/IATA Class :2  
UN number :1950  
Correct Technical Name :Aerosol

**SECTION 15 REGULATORY INFORMATION**



SPECIAL DESIGNATION OF CERTAIN  
PREPERATIONS

:Pressured container. Protect from sunlight and not expose  
to temperatures exceeding 50 C. Do not pierce or burn even  
after use.  
Do not spray on a naked flame or any incandescent material

RISK PHRASES

R12 : Extremely flammable

SAFETY PHRASES

S2 : Keep out or reach of children  
S9 : Keep the can in well ventilated area  
S16 : Keep away from sources of ignition- No smoking

**SECTION 16- OTHER INFORMATION**

R PHRASES USED IN THIS DOCUMENT

- R11 :Highly flammable
- R12 :Extremely flammable
- R38 :Irritating to skin
- R41 :Risk of serious damage to eyes
- R43 :May cause sensization by skin contact
- R51/53 :toxic to aquatic organisms and cause long term adverse effects in the aquatic environment

S PHRASES USED IN THIS DOCUMENT

- S2 :Keep out or the reach of children
- S7 :Keep Container tightly closed
- S9 :keep container in well ventilated areas
- S16 :Keep away from sources of ignition
- S24/25 :Avoid contact with skin and eyes
- S26 :In case of contact with eyes,rinse immediately with plenty of water and seek medical advice
- S39 :wear eye/face protection

**Notice to Reader**

*The information provided in this MSDS is correct to the best of our knowledge, information and belief at the date of its publication and is in our opinion consistent with the state of general scientific and technical knowledge at that date, but we can not accept liability for loss,injury or damage which may result froam its use. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond sellers's control. Use is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.*